

L Number	Hits	Search Text	DB	Time stamp
-	732	(348/302 348/308).ccls.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 11:16
-	13	(348/302 348/308).ccls. and ref	USPAT; US-PGPUB; EPO; JPO	2004/09/02 14:46
-	36	(348/302 348/308).ccls. and ramp near6 voltage	USPAT; US-PGPUB; EPO; JPO	2004/09/02 15:30
-	205	(348/302 348/308).ccls. and active near3 pixel near3 sensor	USPAT; US-PGPUB; EPO; JPO	2004/09/02 15:30
-	2	(348/302 348/308).ccls. and active near3 pixel near3 sensor with ramp	USPAT; US-PGPUB; EPO; JPO	2004/09/02 15:31
-	7	(348/302 348/308).ccls. and active near3 pixel near3 sensor and ramp near3 voltage	USPAT; US-PGPUB; EPO; JPO	2004/09/02 15:31
-	513	348/241.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/09/14 16:07
-	17	348/241.ccls. and ramp	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:13
-	311	348.clas. and ramp near2 voltage	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:13
-	13	348.clas. and ramp near2 voltage with range	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:53
-	0	348.clas. and ramp near2 voltage with light near3 intensity	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:54
-	5	348.clas. and ramp near2 voltage with intensity	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:01
-	7	348.clas. and ramp near2 voltage with light	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:02
-	1794	348.clas. and (low dim) near2 light	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:08
-	15	348/221.1.ccls. and (low dim) near2 light	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:03
-	21	348.clas. and (low dim) near2 light with CMOS	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:09
-	6	348.clas. and (low dim) near2 light with CMOS and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:10
-	1433	348.clas. and (low dim) near2 light and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:11
-	0	348/241.clas. and (low dim) near2 light and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:11
-	0	348/302.clas. and (low dim) near2 light and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:27
-	0	348/216.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:27
-	97	348/234.ccls. and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:28
-	419	348/241.ccls. and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:28

-	50	348/216.1.ccls. and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:30
-	5	348/216.1.ccls. and CMOS and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:31
-	3	348/217.1.ccls. and CMOS and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:33
-	4	348/234.ccls. and CMOS and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 10:35
-	87	348/241.ccls. and CMOS and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 13:33
-	278	348.clas. and CMOS and light near2 intensity and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 13:34
-	21	348.clas. and CMOS and (low inefficient small) near3 light near2 intensity and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/15 14:08
-	3051	("707" "709").clas. and camera	USPAT; US-PGPUB; EPO; JPO	2004/09/15 14:08
-	7	("707" "709").clas. and camera with schedule	USPAT; US-PGPUB; EPO; JPO	2004/09/15 14:11
-	16	("707" "709").clas. and camera with timer	USPAT; US-PGPUB; EPO; JPO	2004/09/15 14:11
-	3129	CMOS near4 (imager "image sensor" "image pickup" pickup)	USPAT; US-PGPUB; EPO; JPO	2004/09/17 08:49
-	1108	CMOS near4 (imager "image sensor" "image pickup" pickup) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 08:49
-	760	CMOS near (imager "image sensor" "image pickup" pickup) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 08:49
-	94	CMOS near (imager "image sensor" "image pickup" pickup) with (ramp voltage clock) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 11:07
-	7	CMOS near (imager "image sensor" "image pickup" pickup) with (low dim) near light and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 08:53
-	68	348/217.1.ccls. and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 09:35
-	50	348/216.1.ccls. and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 09:35
-	4	(348/216.1 348/217.1).ccls. and ramp and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 09:37
-	13	(348/216.1 348/217.1).ccls. and count and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 09:42
-	28	(348/216.1 348/217.1).ccls. and clock and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 09:42
-	113	(348/216.1 348/217.1).ccls. and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 11:23
-	1	(348/216.1 348/217.1).ccls. and radiance and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 11:02
-	54	(348/216.1 348/217.1).ccls. and light near level and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 11:02

-	7	CMOS near (imager "image sensor" "image pickup" pickup) with (low dim) near2 light and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/17 11:08
-	15	CMOS near (imager "image sensor" "image pickup" pickup) with (count clock) and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/20 08:50
-	3	("6344877" "6115066" "5920274").pn.	USPAT; US-PGPUB; EPO; JPO	2004/09/20 08:50
-	3	("4819075" "6130713" "5962844").pn.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 08:36
-	1086	"active pixel sensor"	USPAT; US-PGPUB; EPO; JPO	2004/09/20 14:33
-	607	"active pixel sensor" and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/20 14:51
-	103	"active pixel sensor" and ((low dim) near light "low-light") and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/20 14:52
-	95	"active pixel sensor" and ((low dim) near light "low-light") and CMOS and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/20 14:57
-	15	"active pixel sensor" and ((low dim) near light "low-light") and CMOS and comparator and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/20 14:58
-	2610	merrill.in.	USPAT	2004/09/20 15:46
-	24	(robert near merrill).in.	USPAT	2004/09/20 15:47
-	0	(robert near billings near merrill).in.	USPAT	2004/09/20 15:47
-	124	(richard near merrill).in.	USPAT	2004/09/20 15:47
-	28	(richard near billings near merrill).in.	USPAT	2004/09/20 15:48
-	28	(richard near billings near merrill).in. and CMOS "active pixel sensor" "light intensity" "low light" "low-light")	USPAT	2004/09/20 15:49
-	17	(richard near billings near merrill).in. and ("active pixel sensor" "light intensity" "low light" "low-light")	USPAT	2004/09/20 16:01
-	3	gowda.in. and count and @ad<20010216	USPAT	2004/09/20 16:01
-	1	"20020113887"	USPAT; US-PGPUB; EPO; JPO	2004/09/21 08:37
-	1956	iimura.in.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 09:08
-	249	(faster quicker) near2 count and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/21 09:09
-	1	pixel near2 sensor and (faster quicker) near2 count and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/21 09:11
-	0	CMOS with (faster quicker) near2 count and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/21 09:11
-	35	CMOS and (faster quicker) near2 count and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/21 09:11
-	24	(348/307 348/308 348/309 348/310).ccls. and ramp and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/21 11:17
-	8	((250/208.1).ccls. and ramp and @ad<20010216) and ((348/307 348/308 348/309 348/310).ccls. and ramp and @ad<20010216)	USPAT; US-PGPUB; EPO; JPO	2004/09/21 11:35
-	1	6580454.pn.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 11:26
-	0	6580454.uref.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 11:27

-	6	("4707124" "5008757" "5461425"	USPAT	2004/09/21 11:27
-	1	"5565915" "6049357" "6191408").PN. 6633335.pn.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 11:36
-	37	(250/208.1).ccls. and ramp and @ad<20010216	USPAT; US-PGPUB; EPO; JPO	2004/09/21 14:12
-	1	5877715.pn.	USPAT; US-PGPUB; EPO; JPO	2004/09/21 14:12